


ELE 101

MATLAB

1. Giriş

MATLAB

- Command Window
- Current Folder
- Workspace
- Command History
- `help functionname`
- `doc functionname`
- `functionname(`
- `lookfor parallel`
- <http://www.mathworks.com/matlabcentral/>



Data Import Export

- .mat
 - load
 - save
- Comma-Separated Value (.csv) Files
 - Csvread
 - csvwrite
- Text
 - Save -ascii
- Dlmread
- .xls
 - spreadsheet
 - Xlsread
 - xlswrite

Dataset

- dir
 - Dosyalar
- `DensityEarth.txt`
 - Dünya yoğunluğunun çeşitli yerlerde ölçümü
- `Iris.mat`
 - 150 tane Balık boyları (sepal length and with , petal length and width in cm)
 - 3 çeşit balık için (sınıflandırma amaçlı)
- `USTemps.txt`
 - Şehir , enlem, boylam ve ortalama sıcaklık (56 gözlem)

```
% First see what is in the workspace. This command
```

```
% lists all variables in the workspace.
```

```
who
```

```
% The workspace is empty and nothing is returned.
```

```
% Now load the iris.mat file.
```

```
load iris
```

```
% What is in the workspace now?
```

```
who
```

```
% Now save the variables in another file.  
% We will save just the setosa variable object.  
% Use save filename varname.  
save setosa setosa  
% See what files are in the current directory.  
dir  
% Remove objects from workspace to clean it up.  
clear  
% The directory should be empty. Load the earth data.  
load DensityEarth.txt -ascii  
% See what is in the workspace.  
Who
```

- **save filename varname -ascii**

Import Wizard

% Remove objects for simplicity.

`clear`

% See what is in the workspace.

`who`

% This is displayed in the command window.

- Your variables are:
- City JanTemp Lat Long



Data Objects in Matlab

- Arrays
 - Scalar: Tek bir sayı
 - Vector: Bir boyutlu dizi
 - Matrix: İki boyutlu
 - Çok boyutlu

```
% Create a vector x.
```

```
x = [2, 4, 6];
```

```
% Delete the second element.
```

```
x(2) = [];
```

```
% Display the vector x.
```

```
disp(x)
```

```
% Find the elements that are negative.
```

```
ind = find(x < 0);
```

```
% Print the vector ind to the command window.
```

```
ind
```

Arrays

- Row
- Column
- Concatenate
 - Yan yana
 - Alt alta
- Sayı dizisi
 - Başlangıç: Aralık : Sonuç
 - İleri, geri
 - Sıfır dizisi
 - Bir dizisi
 - 3 boyutlu `o = ones(2,4,3)`
 - `strg = 'This is a string'`

Cells

- Array ve Cell farkı nedir?

- `cell_array = cell(2,4,3)`

```
% Create a cell array, where one cell contains  
% numbers and another cell element is a string.
```

```
cell_array2 = {[1,2], 'This is a string'};
```

```
% Let's check the size of the cell array
```

```
size(cell_array2)
```

- Kırık parantez!

Structures

- Araba.{marka, model, cc, beygir gücü, silindir, renk}
- Öğrenci.{Ad, Soyad, NO, Yaş, Sınıf, GNO, Statü,Burs }
- Farklı data türleri (int, float, string vs. bir arada olabilir)
- `S = struct('field1',data1,'field2',data2,...).`

`% Create a structure called employee with three fields.`

```
employee = struct(...  
    'name',{ 'Wendy','MoonJung' }},...  
    'area',{ 'Visualization','Inference' }},...  
    'deg',{ 'PhD','PhD' }},...  
    'score',[90 100])  
all_names = employee.name
```

Table

- Cell ile benzerliği?

```
load UStemps
```

```
% Create a table using all four variables.
```

```
UTs_tab = table(City, JanTemp, Lat, Long)
```

```
% See what is in the workspace.
```

```
whos
```

- readtable function
 - import a file as a table object
 - delimited text files (.txt, .dat, or .csv)
 - Excel spreadsheet file with .xls or .xlsx extensions

Array

- Cell array

- `A{1,1}`: içerik
- `A(1,1)`: hücre
- `A{1,1}(1:2)`

```
% Extract the employee's area of interest.
```

```
e_area = employee.area;
```

```
% Display the contents in the window.
```

```
e_area
```

```
% Display Wendy's score.
```

```
employee.score(1)
```

```
% Get MoonJung's area.
```

```
employee.area{2}
```

TABLE 1.4

Examples of Accessing Elements of Arrays

Notation	Usage
<code>a(i)</code>	Access the <i>i</i> th element (cell) of a row or column vector array (cell array)
<code>a(3:5)</code>	Access elements 3 through 5 of a vector or cell array
<code>A(:,i)</code>	Access the <i>i</i> th column of a matrix or cell array. In this case, the colon in the row dimension tells MATLAB to access all rows.
<code>A(i,:)</code>	Access the <i>i</i> th row of a matrix or cell array. The colon tells MATLAB to gather all of the columns.
<code>A(2:4,1:2)</code>	Access the elements in the second, third, and fourth rows and the first two columns
<code>A(1,3,4)</code>	Access the element in the first row, third column on the fourth entry of dimension 3 (sometimes called the page).

Tablo

```
% Get a partial table by extracting the first
% three rows.
U1 = UTs_tab(1:3,:)
% Get the JanTemp variable.
jt = UTs_tab.JanTemp;
% See if it is equal to the JanTemp variable.
isequal(jt,JanTemp)
% We get an answer of 1, indicating they are the same.
% We can extract the Lat and Long data for the first
% three cities using the variable names.
U2 = UTs_tab{1:3,{'Lat','Long'}}
```

Stacking Arrays

- Bir datasetteki 3 değişkeni birleştirmek
 - İleride kmeans kullanılarak öbeklenecek
 - Alt alta

```
% First load the data back into the workspace.
```

```
load iris
```

```
% Now, we use the semicolon to stack
```

```
% setosa, versicolor, and virginica data objects.
```

```
irisAll = [setosa; versicolor; virginica];
```

```
% Now look at the workspace to see what is there now.
```

```
who
```

```
% Check on the size of irisAll.
```

```
size(irisAll)
```

Yan yana birleştirmek

```
% Load the data if not in the workspace.
```

```
load UStemps
```

```
% Use commas to concatenate as a row.
```

```
UStemps = [JanTemp, Lat, Long];
```

```
% Check the workspace.
```

```
who
```

```
% Verify the size of UStemps:
```

```
size(UStemps)
```

- **X = [[A, B] ; [C, D]] ;**

- **TIP:** The semi-colon after a statement stops MATLAB from printing the results of the expression to the command line

TABLE 1.5

File Management Commands


Command	Usage
<code>dir, ls</code>	Shows the files in the present directory
<code>delete filename</code>	Deletes <i>filename</i>
<code>pwd</code>	Shows the present directory
<code>cd dir</code>	Changes the directory. There is also a pop-up menu and button on the desktop that allows the user to change directory, as we show below.
	
<code>edit filename</code>	Brings up <i>filename</i> in the editor
<code>type filename</code>	Displays the contents of the file in the command window
<code>which filename</code>	Displays the path to <i>filename</i> . This can help determine whether a file is part of base MATLAB.
<code>what</code>	Lists the <code>.m</code> files and <code>.mat</code> files that are in the current directory

TABLE 1.6

Commands for Workspace Management

Command	Usage
<code>who</code>	Lists all variables in the workspace.
<code>whos</code>	Lists all variables in the workspace along with the size in bytes, array dimensions, and object type.
<code>clear</code>	Removes all variables from the workspace.
<code>clear x y</code>	Removes variables x and y from the workspace.

TABLE 1.7
List of MATLAB® Punctuation

Punctuation	Usage
%	A percent sign denotes a comment line. Information after the % is ignored.
,	When used to separate commands on a single line, a comma tells MATLAB to display the results of the preceding command. When used to combine elements or arrays, a comma or a blank space groups elements along a row. A comma also has other uses, including separating function arguments and array subscripts.
;	When used after a line of input or between commands on a single line, a semicolon tells MATLAB not to display the results of the preceding command. When used to combine elements or arrays, a semicolon stacks them in a column.
...	Three periods denote the continuation of a statement onto the next line.
:	The colon specifies a range of numbers. For example, 1:10 means the numbers 1 through 10. A colon in an array dimension accesses all elements in that dimension.

Aritmetik İşlemler

- $+$, $-$, $*$, $/$, $^$
- A ve B matrislerinin çarpımı : $*$ (boyutlara dikkat)
- A matrisinin tersi (eğer varsa): $\text{inv}(A)$
- $A*x = b$ denkleminin çözümü
 - $x = \text{inv}(A)*b$
 - A/B
- Element bazında işlem
 - Toplam
 - Çarpım
 - Kuvvet

TABLE 1.8

List of Element-by-Element Operators

Operator	Usage
$\cdot *$	Multiply element by element
$\cdot /$	Divide element by element
$\cdot ^$	Raise each element to a power

Fonksiyon

- Büyük bir kodun çeşitli yerlerinde sıklıkla yaptığımız bir işlem dizisi varsa
 - Aynı şeyleri her yere tekrar tekrar yazmak yerine, fonksiyon tanımlanır e gerektiği yerlerde çağrılır
 - Kod daha modüler hale gelir
 - Aynı fonksiyon başka projelerde de kullanılabilir

- **Function syntax:** *functionname(arg1, ..., argk)*

- *[out1, ..., outm] = functionname(arg1, ..., argk)*

- **Command syntax:** *functionname arg1 ... Arg2*

```
% Save the data for the UStemps to a .mat file.
```

```
save UStemps City JanTemp Lat Long
```

```
% That used the command syntax to call a function.
```

```
% Now use the function syntax.
```

```
save('USt.mat', 'City', 'JanTemp', 'Lat', 'Long')
```

```
% See what is in our directory now.
```

```
Dir
```

- https://matlabacademy.mathworks.com/details/matlab-onramp/gettingstarted?s_tid=abt_train_b

ELE 101

MATLAB

2. Görselleştirme

Plot

- `Help plot`
- `plot(x,y,'color_linestyle_marker')`
- İki grafik birden: `plot(x1,y1,x2,y2)`
- Style (Çizgi türü, renk, marker)
 - `plot(x,y,':')`
 - `plot(x,y,'g'), plot(x,y,'.')`
 - `plot(x,y,'b--*')`
 - `plot(x,y,'r:',x2,y2,'k.-o')`

TABLE 2.3

Marker Styles for Plots

Notation	Marker Style
.	point
o	circle
x	x-mark
+	plus
*	star
s	square
d	diamond
v	down triangle
^	up triangle
<	left triangle
>	right triangle
p	pentagram
h	hexagram

TABLE 2.1

Line Styles for Plots

Notation	Line Type
-	solid line
:	dotted line
-.	dash-dot line
--	dashed line

TABLE 2.2

Line Colors for Plots

Notation	Color
b	blue
g	green
r	red
c	cyan
m	magenta
y	yellow
k	black
w	white

Plot (devam)

- Xlabel, ylabel, title
 - `xlabel('text'), ylabel('text'), title('text')`
- İki defa plot çalıştırırsanız ikinciği ilkinin üzerine çizer
 - Üst üste çizdirmek için «hold on» ve «hold off»
- Bir pencere içinde birden fazla grafik penceresi (ör. 2x2, 2x3 vb)
 - `% Create the left-most plot—the first one.`
 - `subplot(1,2,1)`
 - `plot(x,y)`
 - `% Add a title to the first plot.`
 - `title('My Plot')`
 - `% Create the right-most plot—the second one.`
 - `subplot(1,2,2)`
 - `plot(x2,y2)`

3D Data

- `plot3(x,y,z)`
 - Ör. Helix
 - `t = 0:pi/50:10*pi;`
 - `plot3(sin(t),cos(t),t);`
- `surf(X,Y,Z)`
 - `[X,Y] = meshgrid(1:0.5:10,1:20);`
 - `Z = sin(X) + cos(Y);`
 - `C = X.*Y;`
 - `surf(X,Y,Z,C)`
 - Colorbar
- `mesh(X,Y,Z)`
 - `[X,Y] = meshgrid(-5:.5:5);`
 - `Z = Y.*sin(X) - X.*cos(Y);`
 - `s = mesh(X,Y,Z,'FaceAlpha','0.5')`

2D Örnek: Gauss Dağılımı pdf Çizdirme

```
% To illustrate how to plot a curve, first
% generate the values for a normal distribution.
% This creates a standard normal probability
% distribution object.
stdnnpd = makedist('Normal');
% Now, create one with different parameters.
npd = makedist('Normal','mu',0,'sigma',2);
% Define a vector for the domain.
x = -4:.01:4;
% Get the y values for both distributions.
y1 = pdf(stdnnpd, x);
y2 = pdf(npd, x);
% Now, plot the curves on the same set of axes.
plot(x,y1,x,y2,'-.')
xlabel('X')
ylabel('PDF')
title('Plots of Normal Distributions')
legend('mu = 0, sigma = 1','mu = 0, sigma = 2')
```


3D Örnek: Çift Değişkenli Gauss Dağılımı pdf

```
%İki Gauss rastgele sayısının beraber dağılımı
% Get the vector for the mean.
mu = [0 0];
% Get the covariance matrix.
sigma = eye(2);
% Obtain the (x,y) pairs for the domain.
x = -3:.2:3; y = -3:.2:3;
[X,Y] = meshgrid(x,y);
% Evaluate the multivariate normal at
% the coordinates.
Z = mvnpdf([X(:), Y(:)],mu,sigma);
% Reshape to a matrix.
Z = reshape(Z,length(x),length(y));
% The surface plot is shown in Figure 2.3.
% Now, create the surface plot and add labels.
surf(X,Y,Z);
xlabel('X'), ylabel('Y'), zlabel('PDF')
title('Multivariate Normal Distribution')
axis tight
```

Scatter plot: Saçılım grafiği

- 2D: `scatter(x,y,s,c)`

- 3D: `scatter3(x,y,z,s,c)`

```
% Load the UStemps and iris data.
```

```
load UStemps
```

```
load iris
```

```
% Construct a 2-D scatter plot with plot,
```

```
% using temperature and latitude.
```

```
plot(Lat, JanTemp, '*')
```

```
% Adjust the axes to change white space.
```

```
axis([24 50 -2 70])
```

```
% Add labels.
```

```
xlabel('Latitude')
```

```
ylabel('Temperature (deg)')
```

```
title('Average January Temperature - US Cities')
```

3D Scatter plot örneği

```
% The next example shows how to construct a 3-D scatter plot using plot3.  
% The scatter plot is shown in Figure 2.5.  
% Construct a 3-D scatter plot using plot3.  
plot3(Long, Lat, JanTemp, 'o')  
% Add a box and grid lines to the plot.  
box on  
grid on  
% Add labels.  
xlabel('Longitude')  
ylabel('Latitude')  
zlabel('Temperature (deg)')  
title('Average January Temperature - US Cities')
```

- **TIP:** You can save, print, or export your plot using options in the FILE menu of the Figure window. Use the EDIT menu in the Figure window to copy the plot for pasting into documents.
- Tools → Edit Plot
- PLOTS Tab

ELE 101

MATLAB

3. İstatistik

Giriş

- Veriyi indirdik, belli yöntemlerle görselleştirdik.
- Dağılım nasıl (görsel değil, matematiksel olarak)
- Elimizde bu verinin gerçek olasılıksal modeli yok (ELE 273)
 - Örneklem üzerinden bir takım parametreleri ölçebiliriz (Ort. Std. Vs.)
 - Olasılıksal dağılım için bir modele karar verebiliriz
- Tipik Değer: En basit istatistik
 - Mean (ortalama): $\bar{x} = \frac{1}{n} \sum_{i=1}^n x_i$
 - Median (median): Veriyi sıraladığımızda en ortadaki değer
 - Mode (mod): En sıklıkla karşılaştığımız değer
 - Trimmed mean : En yüksek ve en düşük %k'lık dilimi (outlier) atıp ortalama alma

Örnek:

```
% We will first load the variable.
```

```
load earth
```

```
% Now, we find the mean.
```

```
xbar = mean(earth)
```

```
% Find the median density of the Earth.
```

```
med = median(earth)
```

```
% Find the trimmed mean density of the Earth.
```

```
% We will use 20% for our trimming (trim the top and bottom 10%).
```

```
xbar_trim = trimmean(earth, 20)
```

```
% Now, find the mode.
```

```
mod_earth = mode(earth)
```

Dağınlık

- Range (Aralık)
- $range = \max_i\{x_i\} - \min_i\{x_i\}$
- Variance (değişinti)
- $\sigma^2 = \frac{1}{n-1} \sum_{i=1}^n (x_i - \bar{x})^2$
- Bunun karekökü daha faydalı bir istatistiktir
 - Standart sapma
 - $\sigma = \sqrt{\frac{1}{n-1} \sum_{i=1}^n (x_i - \bar{x})^2}$

```
% First find the minimum, maximum and range
% of the earth data.
minearth = min(earth)
maxearth = max(earth)
% Find the range.
rngearth = range(earth)
% We can also find the range, as follows
maxearth - minearth
% Next, we find the variance and the
% standard deviation.
vearth = var(earth)
searth = std(earth)
% We can also find the standard deviation
% by taking the square root of the variance.
sqrt(var(earth))
```

İki verinin ilintisi (korelasyon)

- Covariance (Kovaryans)

- $$\text{cov}(X, Y) = \frac{1}{n-1} \sum_{i=1}^n (x_i - \bar{x})(y_i - \bar{y})$$

- Birinci veri ortalamasını aşınca, ikinci de aşıyor mu (pozitif korelasyon)

- İlinti katsayısı:

- $$\text{corr}(X, Y) = \frac{\text{cov}(X, Y)}{\sigma_X \sigma_Y}$$

- (-1 ve +1 arasında bir sayıdır)
 - Daha fazla fikir veren bir parametre


```
% Now, let's find the covariance matrix of the
% setosa iris. First, we need to load it.
load iris
% Find the covariance matrix of the setosa object.
cvsetosa = cov(setosa)
% Find the correlation coefficients.
crsetosa = corrcoef(setosa)
% If the argument to the var function is a matrix,
% then it will return the variance of each column
% or variable.
var(setosa)
```


Dağılım

- Dağılımın tipik değerini ve bu değer etrafında ne kadar saçılım gösterdiğini gördük
- Dağılımın şekli nasıl?
- Percentile: Veri aralığı 100 eşit parçaya bölünür
 - Ör. Çocukların boy ve kiloları (80 percentile: Aynı yaştaki çocukların %80'inden daha uzun)
- Quartile : Veri aralığı 4 eşit parçaya bölünür
 - $\hat{Q}_{0.25}, \hat{Q}_{0.50}$ (*medyan*), $\hat{Q}_{0.75}$
 - Interquartile range (çeyrekler açıklığı) $\hat{Q}_{0.75} - \hat{Q}_{0.25}$ (verinin yüzde ellisinin bulunduğu aralık)
- Skewness (çarpıklık): Dağılımın asimetrikliği
 - $$\frac{\frac{1}{n} \sum_{i=1}^n (x_i - \bar{x})^3}{\left(\frac{1}{n} \sum_{i=1}^n (x_i - \bar{x})^2 \right)^{\frac{3}{2}}}$$

Örnek

```
% First, we find the quartiles.  
quart = quantile(earth, [.25 .50 .75])  
% This is what we get from the median function.  
median(earth) % This gives the same result.  
% Next, find the IQR of the earth data.  
iqrearth = iqr(earth)  
% Get the quartiles using a different function.  
pearth = prctile(earth, [25 50 75])  
% Find the sample skewness of the earth data.  
skearth = skewness(earth)
```



Dağılımı Görselleştirme

- Veriyi görselleştirmeyi görmüştük (plot, plot2, surf, scatter)
- Dağılımı görselleştirme (histogram)

```
% Construct histogram using 10 bins.
```



```
% This is in base MATLAB.
```

```
hist(earth)
```

```
title('Histogram of the Earth Density Data')
```

```
xlabel('Multiple of the Density of Water')
```

```
ylabel('Frequency')
```



Örnekleme Dağılımını Teorik bir Model ile karşılaştırma

- Q-Q Plot: İki dağılım benzer mi (quantil-quantil karşılaştırması)
- Probability Plot: Örnekleme dağılımını verilen teorik dağılım ile karşılaştırır

```
% Get a probability plot comparing the  
% earth data to a normal distribution.
```

```
probplot(earth)
```

```
xlabel('Earth Quantiles')
```


```
% Construct a Q-Q plot of the sepal length  
% for Virginica and Versicolor in the iris  
data.
```

```
qqplot(virginica(:,1),versicolor(:,1))
```

```
title('Q-Q Plot of Sepal Length - Iris Data')
```


```
xlabel('Virginica Quantiles')
```

```
ylabel('Versicolor Quantiles')
```



Güven Aralığı – Box Plot

- Grafikte ± 2.5 quartile ve %95 güven aralığı bulunmaktadır.



ELE 101

MATLAB

3. Olasılıksal Dağılımlar

Giriş

- Veriyi görselleştirdik ve basit istatistiksel formüller üzerinden bazı dağılım parametrelerini bulduk (ortalama, std, range, percentile, çarpıklık, korelasyon (iki veri seti için)) **Empirical**
 - Bunlar bilinen olasılıksal dağılımlara ne kadar uyuyor?
 - Veriyi kendimiz rastgele üretmek istesek nasıl üreteceğiz?
 - İkisi için de olasılıksal modelleri bilmek gerekir (ELE 273) **Theoretical**
- Dağılımlar: Ayırık-Sürekli, Tek-Çok değişkenli, Parametrik
- Sürekli Dağılımlar
 - Bir aralıktaki bütün değerleri alabilirler (ör. Sıcaklık, nem, sinyal genliği)
 - Kümülatif dağılım fonksiyonu (CDF) $F_X(x)$: Bir değerden küçük eşit olma olasılığı
 - Olasılık yoğunluk fonksiyonu $f_X(x)$: Bir değeri alma olasılık yoğunluğu
 - Bir aralıkta integrali alındığında o aralıkta değer alma olasılığını verir
 - $F_X(a) = \int_{-\infty}^a f_X(x)dx, P(a \leq X \leq b) = \int_a^b f_X(x)dx$

TABLE 4.1

Some Continuous Distributions in the Statistics Toolbox

Distribution Name	Parameters ^a	Root Word	Add to Root Word for Operations
Beta	a, b	beta	pdf, cdf, inv, stat, fit, like, rnd
Chi-Square	df (degrees of freedom)	chi2	pdf, cdf, inv, stat, rnd
Exponential	mu (mean)	exp	pdf, cdf, inv, stat, fit, like, rnd
Extreme Value	mu (mean log value) sigma (spread log value)	ev	pdf, cdf, inv, stat, fit, like, rnd
F	df1, df2 (degrees of freedom)	f	pdf, cdf, inv, stat, rnd
Gamma	a (shape) b (scale)	gam	pdf, cdf, inv, stat, fit, like, rnd
Lognormal	mu (mean) sigma (spread)	logn	pdf, cdf, inv, stat, fit, like, rnd
Normal (Gaussian)	mu (mean) sigma (spread)	norm	pdf, cdf, inv, stat, fit, like, rnd
Rayleigh	b	rayl	pdf, cdf, inv, stat, fit, rnd
Student's <i>t</i>	v (degrees of freedom)	t	pdf, cdf, inv, stat, rnd
Uniform	a, b (defines interval)	unif	pdf, cdf, inv, stat, fit, rnd
Weibull	a (scale) b (shape)	wbl	pdf, cdf, inv, stat, fit, like, rnd

Fonksiyonlar

- $\text{Drnd}(N,1)$: İlgili dağılıma uygun N adet rastgele sayı üretmek
- $\text{Dpdf}(x)$: İlgili olasılık yoğunluk fonksiyonunun x noktasındaki değeri
- $\text{Dcdf}(x)$: İlgili kümülatif fonksiyonunun x noktasındaki değeri
- $\text{Dinv}(p)$: İlgili dağılıma p quantili
- $\text{Dstat}(\text{param})$: İlgili dağılımın parametreleri
- $\text{Dfit}(\text{data})$: Verinin (D dağılımı olduğu varsayımıyla) parametreleri
- $\text{Dlike}(\text{param}, \text{like})$: Verinin D dağılımında olma olabilirliği

Ayrık dağılımlar

- Ayrık rastgele değişkenler ayrık değerler alır (ör. Zar,)
- Olasılık ağırlık fonksiyonu (probability mass function)
 - $P_X(x) = P(X = x)$: Ayrık rastgele değişkenin x değeri alma olasılığı
- Kümülatif dağılım fonksiyonu $F_X(x)$: Bir değerden küçük eşit olma olasılığı
 - $F_X(a) = \sum_{x \leq a} P_X(x)$

Some Discrete Distributions in the Statistics Toolbox

Distribution Name	Parameters ^a	Root Word	Add to Root for Operations
Binomial	n, p	bin	pdf, cdf, inv, stat, fit, rnd
Geometric	p	geo	pdf, cdf, inv, stat, rnd
Hypergeometric	m, k, n	hyge	pdf, cdf, inv, stat, rnd
Negative binomial	r, p	nbin	pdf, cdf, inv, stat, fit, rnd
Poisson	lambda	poiss	pdf, cdf, inv, stat, fit, rnd
Uniform (discrete)	N	unid	pdf, cdf, inv, stat, rnd

Çoklu dağılımlar

- Ör. İki rastgele değişken bir düzlemde yer alırlar
 - Bunun dağılımı üç boyutlu grafikte gösterilebilir
 - Ör. İki değişkenli Gauss (Çan şeklinde üç boyutlu bir grafik)
 - Multivariate Normal
 - Kovaryans matrisi (simetrik bir matris)

Additional Distributions in the Statistics Toolbox

mvnpdf	Multivariate normal PDF
mvncdf	Multivariate normal CDF
mvnrnd	Generate multivariate normal random variables
mvtpdf	Multivariate Student's t PDF
mvtcdf	Multivariate Student's t CDF
mvtrnd	Generate multivariate t random variables
ksdensity	Kernel density—arguments include options for PDF, CDF, inverse CDF, and fitting

Matlab Kodları: Kernel density estimation

```
% PAGE 85
% Generate a set of normal random variables.
% The mean is 0 and sigma is 1.
n = 10;
x = normrnd(0,1,1,n);
% Get a grid of points to evaluate density.
pts = linspace(-4,4);
% Set up a vector for our estimated PDF.
kpdf = zeros(size(pts));
% We need a bandwidth for the kernels.
% This is the normal reference rule [Scott, 1992].
h = 1.06*n^(-1/5);
% Hold the plot, because we will add
% a curve at each iteration of the loop.
hold on
for i = 1:n
    % Use the normal kernel, noting that
    % the mean is given by an observation
    % and the standard deviation is h.
    f = normpdf(pts, x(i), h);

    % Plot the kernel function for i-th point.
    plot(pts, f/n);

    % Keep adding the individual kernel function.
    kpdf = kpdf + f/n;
end
% Plot the kernel density estimate.
plot(pts, kpdf)
title('Kernel Density Estimate')
xlabel('X')
ylabel('PDF')
hold off
```

- *Kernel fonksiyonları*
 - h parametresi: bant genişliği : std sapma
 - $x(i)$: ortalama
- Her bir kernel fonksiyonu toplanır
- Gerçek olasılık dağılım fonksiyonunun bir kestirimi elde edilmiş olur
- Hazır fonksiyon
 - `kpdf = ksdensity(x)`
- Ters CDF
 - `kicdf = ksdensity(x,pts,'function','cdf')`
- ..
- ..

Matlab Kodları: Gauss ve Student's t dağılımı

```
% PAGE 87

% First, generate some points for the
domain.

pts = linspace(-4,4);

% Obtain a standard normal PDF.

nrmpdf = normpdf(pts,0,1);

% Obtain a Student's t with v = 1.

stpdf = tpdf(pts, 1);

% Plot the two PDFs.

plot(pts,nrmpdf, '-',pts,stpdf, '-.')
axis([-4 4, 0 0.42])

title('Normal and Student's t
Distributions')

xlabel('x')

ylabel('PDF')

legend('Normal','Student's t')
```

- Student's t : tek parametrelili (v)
- v arttıkça Gauss'a benzer.

Ayrık rastgele sayılar: Ör. Poisson

```
% PAGE 88
% First specify the parameter for the Poisson.
lambda = 3;
% Get the points in the domain for plotting
pts = 0:10;
% Get the values of the PDF
ppdf = poisspdf(pts,lambda);
% Get the values of the CDF
pcdf = poisscdf(pts,lambda);
% Construct the plots
subplot(2,1,1)
plot(pts, ppdf, '+')
ylabel('Poisson PDF')
title('Poisson Distribution \lambda = 3')
subplot(2,1,2)
stairs(pts, pcdf)
ylabel('Poisson CDF')
xlabel('X')
```

- Poisson rastgele değişkenleri, negatif olmayan tamsayı değerleri alır
- Bir olayın olma sayısını modellemede kullanılır
- Tek parametrelidir (λ)
- Ortalaması : λ

Çok değişkenli student's t dağılımı

```
% PAGE 90
% Example - Multivariate (2-D) Student's t
% First, set the parameters.
corrm = [1, 0.3 ; 0.3, 1];
df = 2;
% Get a grid for evaluation and plotting
x = linspace(-2,2,25);
[x1,x2] = meshgrid(x,x);
X = [x1(:), x2(:)];
% Evaluate the multivariate Student's t
PDF
% at points given by X.
pmvt = mvtpdf(X, corrm, df);
% Plot as a mesh surface.
mesh(x1,x2,reshape(pmvt,size(x1)));
xlabel('X1'), ylabel('X2'), zlabel('PDF')
title('2-D Student's t Distribution')
```

- Çok değişkenli ve iki değişken birbiri ile ilintili
- Bu örnekte ilinti katsayısı 0.3
 - Pozitif ilintili
 - Biri arttıkça (azaldıkça) diğeri de artma (azalma) eğiliminde
- İlinti arttıkça çan eğrisi yanlardan bastırılır

Earth verisinin dağılım kestirimi

```
% PAGE 91
% First load the data into the workspace.
load earth
n = length(earth);
% Set two bandwidths.
% Normal reference rule - standard
deviation.
h1 = 1.06*std(earth)*n^(-1/5);
% Normal reference rule - IQR.
h2 = 0.786*iqr(earth)*n^(-1/5);
% Get a domain for the for the PDF.
[kd1,pts] =
ksdensity(earth,'bandwidth',h1);
[kd2,pts] =
ksdensity(earth,'bandwidth',h2);
plot(pts,kd1,pts,kd2,'-.')
legend('h1 = 0.1832','h2 = 0.1263')
title('Kernel Density Estimates - 2
Bandwidths')
ylabel('PDF'), xlabel('Density of Earth')
```

- Çok değişkenli ve iki değişken birbiri ile ilintili
- Bu örnekte ilinti katsayısı 0.3
 - Pozitif ilintili
 - Biri arttıkça (azaldıkça) diğeri de artma (azalma) eğiliminde
- İlinti arttıkça çan eğrisi yanlardan bastırılır

Parametre Kestirimi

```
% PAGE 95
% Load the earth data
load earth
% Estimate the parameters of a normal
distribution.
% Also ask for a 90% confidence interval
[mu1,sig1,muci1,sigci1] = normfit(earth,0.9);
% The following is the estimated mean.
display(mu1)
% Here is the estimated confidence interval.
display(muci1)
% The following estimated standard deviation is
shown.
display(sig1)
% This is the confidence interval.
display(sigci1)
% Alternative way to estimate mean and standard
deviation.
% Get the mean from the data.
mean(earth)
% Get the standard deviation
std(earth)
```

- Yandaki kod: Distribution fitting
 - Verinin dağılımı hangi ortalama ve std'li Gauss dağılımın grafiğine uyuyor?
- Alternatif: Maksimum olabilirlik
 - `est = mle(X,'distribution','name'),`
 - `[est,estci] = mle(x,'distribution','name','alpha',alpha)`
 - `PDest = fitdist(x,'distname')`
 - `estci = paramci(PDest)`
- `% Fit a normal distribution to the data.`
- `pdfit = fitdist(earth,'normal')`
- `paramci(pdfit)`
- `ksfit = fitdist(earth,'kernel');`

Parametre Kestirimi

```
% PAGE 97
```

```
% Fit a normal distribution to the data.
```

```
pdfit = fitdist(earth, 'normal')
```

```
% We can extract the confidence intervals  
using the paramci function.
```

```
% This is one of the methods we can use  
with a ProbDist object.
```

```
% Display the confidence intervals only.
```

```
% The intervals are given in the columns.
```

```
paramci(pdfit)
```

```
% Fit a kernel density to the earth data.
```

```
ksfit = fitdist(earth, 'kernel')
```

```
% PAGE 98
```

```
% Get a set of values for the domain.
```

```
pts = linspace(min(earth)-1, max(earth)+1);
```

```
% Get the PDF of the different fits.
```

```
pdfn = pdf(pdfit, pts);
```

```
pdfk = pdf(ksfit, pts);
```

```
% Plot both curves
```

```
plot(pts, pdfn, pts, pdfk, '--')
```

```
% Plot the points on the horizontal axis.
```

```
hold on
```

```
plot(earth, zeros(1, n), '+')
```

```
hold off
```

```
legend('Normal Fit', 'Kernel Fit')
```

```
title('Estimated PDFs for the Earth Data')
```

```
xlabel('Density of the Earth')
```

```
ylabel('PDF')
```

Disttool